

JAMES E. BICKFORD
SECRETARY



Jim

PAUL E. PATTON
GOVERNOR

COMMONWEALTH OF KENTUCKY
NATURAL RESOURCES AND ENVIRONMENTAL PROTECTION CABINET
DEPARTMENT FOR ENVIRONMENTAL PROTECTION
FRANKFORT OFFICE PARK
14 REILLY RD
FRANKFORT KY 40601

February 1, 2001

Mr. Gary Stephenson
Manager of Regulatory Compliance
Wayne Supply Company - Louisville
P.O. Box 35900
Louisville, KY 40232-5900

RE: Request to treat hazardous waste on-site
Wayne Supply Company
Louisville, Jefferson County, Kentucky
EPA ID # KYD-006-945-802

Dear Mr. Stephenson:

The Kentucky Division of Waste Management received your submittal requesting approval for on-site treatment of hazardous waste as a generator on December 5, 2000 along with your annual Registration of Hazardous Waste Activity form. Wayne Supply Company proposed to treat hazardous waste by puncturing and draining aerosol cans into a 55 gallon drum in accordance with 410 KAR 32:030 Section 6.

The Division has reviewed your request and determined that more information is needed before validity of your request can be determined. The request as submitted does not demonstrate that the operating conditions are protective of human health and the environment. The Division requests that a more detailed request be submitted to include the following information.

1. The types, original use, and amount of material remaining in the aerosol cans.
2. The material contained in the aerosol cans. Include a current MSDS on the material and note all characteristic and listed waste codes applicable to the material.
3. An engineering drawing/detailed product brochure for the puncturing device along with a detailed description of how the waste is emptied from the cans. Include a diagram and description of how the charcoal filter operates.
4. The method of disposal for the material captured from the cans, including method of storage and shipment to a disposal facility.



Printed on Recycled Paper
An Equal Opportunity Employer M/F/D

Mr. Gary Stephenson

February 1, 2001


Page 2

5. Any training required for employees to operate and work in the vicinity of the can puncturing device.
6. Procedures to comply applicable requirements in 401 KAR 35:275, 280 and 281.

This letter does not grant Wayne Supply Company treatment on-site permission, only clarifies deficiencies in their submittal. The Division reserves the right to request additional information when a more detailed submittal is received. Please note, approval of this type of treatment from this Division will not exclude Wayne Supply Company from obtaining the necessary permits or authorization from any other local, state, or federal agency. Should you have any questions regarding treatment on-site, please contact Rebecca Cash at (502) 564-6716, ext. 676.

Also, please submit an additional annual registration fee of \$250 payable to the Kentucky State Treasurer. Your total fee for renewal is \$950 (\$350 for generator, \$300 for universal waste handler and \$300 for treatment on-site). We received only \$700.00. If you have any questions regarding registration, please contact Marlyn Godby at %02-564-6716, ext. 237.

Sincerely,



Michael V. Welch P.E., Manager
Hazardous Waste Branch

MVW/rtc

cc: Narindar Kumar, U.S. EPA Region IV
Keith Sims, Louisville Regional Office
Rebecca Cash, Hazardous Waste Branch
Alauddin A. Alauddin, Hazardous Waste Branch
Marlyn Godby, Hazardous Waste Branch